

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

<b>Trade name or designation of the mixture</b>	DIMERTEST Latex Reagent
<b>Registration number</b>	-
<b>Synonyms</b>	None.
<b>Product code</b>	DLHK7, DIMERTEST Latex Reagent, ActiScreen™ XL-FDP, 800DB, 800DB-LX, XL-FDP Immunoagglutination Reagent
<b>Issue date</b>	01-December-2017
<b>Version number</b>	02
<b>Revision date</b>	03-August-2017
<b>Supersedes date</b>	28-May-2015

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

<b>Identified uses</b>	Assorted.
<b>Uses advised against</b>	Use in accordance with supplier's recommendations.

**1.3. Details of the supplier of the safety data sheet**

**Corporate Headquarters** BioMedica Diagnostics Inc.  
94 Wentworth Road, PO Box 1030  
Windsor, Nova Scotia CANADA B0N 2T0

**Contact person** Corporate Phone: 1-902-798-5105  
Corporate Fax: 1-902-798-1025  
Email: info@biomedicadiagnostics.com  
Website: www.biomedicadiagnostics.com

**1.4. Emergency telephone number** US, Canada, Puerto Rico & Virgin Islands 1-800-255-3924  
International +1-813-248-0585  
Australia 1-300-954-583  
Brazil 0-800-591-6042  
China 400-120-0751  
India 000-800-100-4086  
Mexico 01-800-099-0731

**Contract number** MIS9591327

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

**Classification according to Directive 67/548/EEC or 1999/45/EC as amended**

**Classification** Xn;R22, R32

The full text for all R-phrases is displayed in section 16.

**Classification according to Regulation (EC) No 1272/2008 as amended**

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary**

<b>Physical hazards</b>	Not classified for physical hazards.
<b>Health hazards</b>	Harmful if swallowed. Contact with acids liberates very toxic gas.
<b>Environmental hazards</b>	Not classified for hazards to the environment.
<b>Specific hazards</b>	Avoid contact with eyes and skin. Do not ingest or inhale.
<b>Main symptoms</b>	Ingestion may cause irritation and malaise.

**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended**

<b>Hazard pictograms</b>	None.
<b>Signal word</b>	None.

<b>Hazard statements</b>	None.
<b>Precautionary statements</b>	
<b>Prevention</b>	None.
<b>Response</b>	None.
<b>Storage</b>	None.
<b>Disposal</b>	None.
<b>Supplemental label information</b>	EUH032 - Contact with acids liberates very toxic gas.
<b>2.3. Other hazards</b>	Not a PBT or vPvB substance or mixture.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Sucrose	5 - 10	57-50-1 200-334-9	-	-	
<b>Classification:</b>					<b>DSD:</b> - <b>CLP:</b> -
Sodium chloride	1 - 3	7647-14-5 231-598-3	01-2119485491-33-XXXX	-	
<b>Classification:</b>					<b>DSD:</b> - <b>CLP:</b> -
Sodium azide	0.1 - 0.2	26628-22-8 247-852-1	-	011-004-00-7	#
<b>Classification:</b>					<b>DSD:</b> T+;R28, R32, N;R50/53 <b>CLP:</b> Acute Tox. 2;H300, Acute Tox. 1;H310, Aquatic Acute 1;H400, Aquatic Chronic 1;H410

#### List of abbreviations and symbols that may be used above

#: This substance has been assigned Community workplace exposure limit(s).  
DSD: Directive 67/548/EEC.  
CLP: Regulation No. 1272/2008.

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all R- and H-phrases is displayed in section 16.

## SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** For skin contact flush with large amounts of water while removing contaminated clothing. Get medical attention if irritation develops and persists.

**Eye contact** In case of contact, immediately flush eyes with fresh water for at least 15 minutes while holding the eyelids open. Remove contact lenses if worn. Get medical attention if irritation persists.

**Ingestion** If material is ingested, immediately contact a physician or poison control centre.

**4.2. Most important symptoms and effects, both acute and delayed** Ingestion may cause irritation and malaise.

**4.3. Indication of any immediate medical attention and special treatment needed** Provide general supportive measures and treat symptomatically.

## SECTION 5: Firefighting measures

**General fire hazards** The product is not flammable.

### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with water spray, carbon dioxide, dry chemical or material appropriate for the surrounding fire.

<b>Unsuitable extinguishing media</b>	None known.
<b>5.2. Special hazards arising from the substance or mixture</b>	Sodium azide may form explosive compounds in metal drain lines. When disposing of solutions through plumbing fixture, flush with copious amount of water.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Special fire fighting procedures</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
<b>For emergency responders</b>	Use personal protection as recommended in section 8 of the SDS.
<b>6.2. Environmental precautions</b>	Do not allow to enter drains, sewers or watercourses. This mixture contains a small amount of sodium azide which can react with copper, lead, brass or solder in plumbing systems and form potentially explosive metal azides. Follow proper disposal procedures.
<b>6.3. Methods and material for containment and cleaning up</b>	Absorb spill with vermiculite or other inert material. Dispose of waste in accordance with all applicable federal, state, local and provincial environmental regulations, per Section 13.
<b>6.4. Reference to other sections</b>	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Avoid contact with skin and eyes. Wash thoroughly after handling. In case of insufficient ventilation, wear suitable respiratory equipment. Handle and open container with care.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Store at 2-8°C (35-46°F). Store in a closed container away from incompatible materials.
<b>7.3. Specific end use(s)</b>	Assorted.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Sodium azide (CAS 26628-22-8)	STEL	0.3 mg/m <sup>3</sup>
	TWA	0.1 mg/m <sup>3</sup>
Sucrose (CAS 57-50-1)	STEL	20 mg/m <sup>3</sup>
	TWA	10 mg/m <sup>3</sup>

##### EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Type	Value
Sodium azide (CAS 26628-22-8)	STEL	0.3 mg/m <sup>3</sup>
	TWA	0.1 mg/m <sup>3</sup>

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no-effect level (DNEL)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

#### Exposure guidelines

##### UK EH40 WEL: Skin designation

Sodium azide (CAS 26628-22-8)

Can be absorbed through the skin.

### 8.2. Exposure controls

**Appropriate engineering controls** Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours. Provide easy access to water supply and eye wash facilities.

## Individual protection measures, such as personal protective equipment

<b>General information</b>	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
<b>Eye/face protection</b>	Wear approved safety glasses or goggles.
<b>Skin protection</b>	
- <b>Hand protection</b>	Wear appropriate chemical resistant gloves.
- <b>Other</b>	Wear lab coat or other protective garments. Remove contaminated clothing promptly.
<b>Respiratory protection</b>	Under normal conditions, respirator is not normally required.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practices.
<b>Environmental exposure controls</b>	Inform appropriate managerial or supervisory personnel of all environmental releases.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Milky white suspension.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Milky white.
<b>Odour</b>	Odourless.
<b>Odour threshold</b>	Not available.
<b>pH</b>	7
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Not available.
<b>Oxidizing properties</b>	Not available.
<b>9.2. Other information</b>	No relevant additional information available.

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	This mixture contains a small amount of sodium azide, which can react with copper, lead, brass or solder in plumbing systems and form potentially explosive metal azides.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	Hazardous polymerisation does not occur.
<b>10.4. Conditions to avoid</b>	Keep away from heat.
<b>10.5. Incompatible materials</b>	Strong acids. Strong oxidising agents. Strong reducing agents.
<b>10.6. Hazardous decomposition products</b>	Carbon oxides.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

**Inhalation** Vapours may irritate throat and respiratory system and cause coughing.

**Skin contact** May cause skin irritation.

**Eye contact** May cause eye irritation.

**Ingestion** May cause discomfort if swallowed.

**Symptoms** Ingestion may cause irritation and malaise.

### 11.1. Information on toxicological effects

**Acute toxicity** May cause discomfort if swallowed.

Components	Species	Test results
------------	---------	--------------

Sodium azide (CAS 26628-22-8)

#### Acute

##### Dermal

LD50	Rabbit	20 mg/kg
------	--------	----------

##### Oral

LD50	Rat	27 mg/kg
------	-----	----------

**Skin corrosion/irritation** May cause skin irritation.

**Serious eye damage/eye irritation** May cause eye irritation.

**Respiratory sensitisation** Not classified.

**Skin sensitisation** Not classified.

**Germ cell mutagenicity** Not classified.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity** Not classified.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not classified.

**Mixture versus substance information** Not available.

**Other information** No other specific acute or chronic health impact noted.

## SECTION 12: Ecological information

### 12.1. Toxicity

Components	Species	Test results
------------	---------	--------------

Sodium azide (CAS 26628-22-8)

#### Aquatic

Algae	EC50	Pseudokirchnerella subcapitata	0.35 mg/l, 96 hours
-------	------	--------------------------------	---------------------

Fish	LC50	Fish	5.7 mg/l, 96 hours
------	------	------	--------------------

Sodium chloride (CAS 7647-14-5)

#### Aquatic

Crustacea	EC50	Water flea (Daphnia magna)	874 mg/l, 48 hours
-----------	------	----------------------------	--------------------

**12.2. Persistence and degradability** No data is available on the degradability of this product.

### 12.3. Bioaccumulative potential

#### Partition coefficient

##### n-octanol/water (log Kow)

Sucrose (CAS 57-50-1)	-3.7
-----------------------	------

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** Not available.

**Mobility in general** The product is soluble in water.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Residual waste** Dispose in accordance with all applicable regulations.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EU waste code** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information** This preparation contains a small amount of sodium azide which can react with copper, lead, brass or solder in plumbing systems and form potentially explosive metal azides. If preparation enters drain, flush with a large volume of water to prevent azide build-up.

## SECTION 14: Transport information

### ADR

Not regulated as dangerous goods.

### RID

Not regulated as dangerous goods.

### ADN

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended**

Not listed.

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended**

Not listed.

#### **Other EU regulations**

**Directive 2012/18/EU on major accident hazards involving dangerous substances**

Sodium azide (CAS 26628-22-8)

**Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Sodium azide (CAS 26628-22-8)

**Directive 94/33/EC on the protection of young people at work**

Sodium azide (CAS 26628-22-8)

#### **Other regulations**

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. In the European Union this product is regulated under the In Vitro Diagnostic Medical Devices Directive (98/79/EC).

#### **National regulations**

The product has not been classified as dangerous according to the legislation in force.

#### **15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

#### **List of abbreviations**

DNEL: Derived No-Effect Level.  
PNEC: Predicted No-Effect Concentration.  
LD50: Lethal Dose, 50%.

#### **References**

IARC Monographs. Overall Evaluation of Carcinogenicity  
HSDB® - Hazardous Substances Data Bank

#### **Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

#### **Full text of any statements or R-phrases and H-statements under Sections 2 to 15**

R22 Harmful if swallowed.  
R28 Very toxic if swallowed.  
R32 Contact with acids liberates very toxic gas.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
H300 Fatal if swallowed.  
H310 Fatal in contact with skin.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

#### **Training information**

Follow training instructions when handling this material.

#### **Disclaimer**

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall BioMedica Diagnostics be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if BioMedica Diagnostics has been advised of the possibility of such damages.