

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

SPECTROFLUOR FIXa

of the mixture

Registration number

**Synonyms** None.

**Product code** 299F, 299FL, Spectrofluor FIXa

01-December-2017 Issue date

02 Version number

**Revision date** 11-July-2017 Supersedes date 11-November-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Research use only.

Uses advised against Use in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

**Corporate Headquarters** BioMedica Diagnostics Inc.

94 Wentworth Road, PO Box 1030

Windsor, Nova Scotia CANADA B0N 2T0

Corporate Phone: 1-902-798-5105 **Contact person** 

Corporate Fax: 1-902-798-1025 Email: info@biomedicadiagnostics.com Website: www.biomedicadiagnostics.com

1.4. Emergency telephone

US, Canada, Puerto Rico & Virgin Islands 1-800-255-3924

International +1-813-248-0585 number Australia 1-300-954-583

> Brazil 0-800-591-6042 China 400-120-0751 India 000-800-100-4086 Mexico 01-800-099-0731

Contract number MIS9591327

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification

Classification according to Regulation (EC) No 1272/2008 as amended

Causes skin, eye and respiratory tract irritation. **Hazard summary** 

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

7-amino-4-methylcoumarin **Contains:** 

Hazard pictograms



Signal word Warning

**Hazard statements** 

Causes skin irritation. H315

Causes serious eve irritation. H319 May cause respiratory irritation. H335

**Precautionary statements** 

Prevention

Wash thoroughly after handling. P264

SPECTROFLUOR FIXa SDS UK 930659 Version #: 02 Revision date: 11-July-2017 Issue date: 01-December-2017

Wear protective gloves/eye protection/face protection. P280

Avoid breathing dust. P261

Use only outdoors or in a well-ventilated area. P271

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

If skin irritation occurs: Get medical advice/attention. P332 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. P337 + P313

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304 + P340

Call a POISON CENTER/doctor if you feel unwell. P312

Storage

Store in a well-ventilated place. Keep container tightly closed. P403 + P233

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
7-amino-4-methylcouma	rin 55 - 60	26093-31-2 247-454-8	-	-	
Classification:	Skin Irrit. 2;H315, Eye I	rrit. 2;H319, STOT	SE 3;H335		
Glycine	40 - 45	56-40-6 200-272-2	-	-	
Classification:	-				

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. If you feel unwell, seek medical advice (show the label where possible).

4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTRE or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove Eye contact

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

May cause redness and pain. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted. Will burn if involved in a fire.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

SDS UK SPECTROFLUOR FIXa

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store between 2°C and 8°C (36°F and 46°F). Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

Research use only.

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

### 8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation. or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

## Individual protection measures, such as personal protective equipment

**General information** 

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety goggles and a face shield.

SDS UK SPECTROFLUOR FIXa

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove - Hand protection

supplier.

- Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust or fumes, use suitable respiratory

equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Environmental manager must be informed of all major releases.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Solid. Physical state

**Form** Pale yellow Lyophylized powder.

Colour Pale yellow. Odour Not available. **Odour threshold** Not available.

7 4 pН

Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Vapour pressure Not available. Not available. Vapour density Not available. Relative density Soluble in water. Solubility(ies) Partition coefficient Not available.

(n-octanol/water)

Not available. Not available.

**Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not explosive. **Explosive properties** Not available Oxidizing properties

9.2. Other information No relevant additional information available.

## **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability 10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

Contact with incompatible materials. Strong oxidising agents. Strong acids. 10.5. Incompatible materials

Carbon monoxide. Carbon dioxide. Nitrogen oxides. 10.6. Hazardous

decomposition products

10.4. Conditions to avoid

## **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

SDS UK SPECTROFLUOR FIXa

Information on likely routes of exposure

**Inhalation** Dust may irritate respiratory system. Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye irritation.

**Ingestion** May cause discomfort if swallowed.

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. May

cause redness and pain.

11.1. Information on toxicological effects

**Acute toxicity** May cause discomfort if swallowed.

Components Species Test results

Glycine (CAS 56-40-6)

Acute Oral

LD50 Rat 7930 mg/kg

**Skin corrosion/irritation**Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

**Respiratory sensitisation** Not a respiratory sensitiser.

**Skin sensitisation** Not a skin sensitiser.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Mixture versus substance Not available.

information

Other information No other specific acute or chronic health impact noted.

## **SECTION 12: Ecological information**

**12.1. Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Glycine (CAS 56-40-6) -3.21

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT

and vPvB

Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

5/7

emptied.

SPECTROFLUOR FIXa SDS UK

930659 Version #: 02 Revision date: 11-July-2017 Issue date: 01-December-2017

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

# **SECTION 14: Transport information**

**ADR** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

**ADN** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of Marpol Not established.

and the IBC Code

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

## Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

## Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

SPECTROFLUOR FIXa SDS UK Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives. This Safety

Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

In the European Union this product is regulated under the In Vitro Diagnostic Medical Devices

Directive (98/79/EC).

**National regulations** 

15.2. Chemical safety assessment

Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

List of abbreviations

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.

IARC Monographs. Overall Evaluation of Carcinogenicity References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H315 Causes skin irritation.

H319 Causes serious eve irritation. H335 May cause respiratory irritation.

**Training information** Disclaimer

Follow training instructions when handling this material.

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall BioMedica Diagnostics be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if BioMedica Diagnostics has been advised of the possibility of such damages.

SPECTROFLUOR FIXa SDS UK

930659 Version #: 02